



RX Cerami-X. Wash & Wax 1L

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878
Issue date: 24.08.2023 Revision date: 24.08.2023 Version: 1.0

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product form : Mixture
Product name : RX Cerami-X. Wash & Wax 1L
Product code : 26402
Type of product : Detergent,Cleaner
Product group : Trade product
Other means of identification : UFI: DP4K-DRE3-C00T-DTXF

1.2. Relevant identified uses of the substance or mixture and uses advised against

1.2.1. Relevant identified uses

Intended for general public
Main use category : Consumer use

1.2.2. Uses advised against

No additional information available

1.3. Details of the supplier of the safety data sheet

Supplier

KRAFFT S.L.U.
Ctra. Urnieta s/n
ES- 20140 Andoain
España
T +34 943 410 400 - F +34 943 410 440
msds@krafft.es - rainx.eu.com

Distributor

ITW AUTOMOTIVE AFTERMARKET
Saxon House
2-4 Victoria Street
SL4 1EN Windsor
United Kingdom
T +44 (0) 24 7647 4069
sales@wynns.uk.com - www.forteuk.co.uk

Distributor

ITW ADDITIVES INTL B.V.
Industriepark-West 46
9100 Sint-Niklaas
Belgium
T +32 3 766 60 20 - F +32 3 778 16 56
msds@wynns.eu - www.wynns.com

Distributor

WYNN'S AUTOMOTIVE France SAS
Z.A. Europarc
2, avenue Léonard de Vinci
33608 Pessac
France
T +33 05 57 26 29 00
contact@wynns.fr - www.wynns.fr

1.4. Emergency telephone number

Emergency number : ES:+34 915 620 420, BIG:+32 (0) 14/58.45.45
ES: Instituto Nacional de Toxicología; Rest: BIG

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation (EC) No. 1272/2008 [CLP]

Serious eye damage/eye irritation, Category 1 H318
Full text of H- and EUH-statements: see section 16

Adverse physicochemical, human health and environmental effects

No additional information available

RX Cerami-X. Wash & Wax 1L

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

2.2. Label elements

Labelling according to Regulation (EC) No. 1272/2008 [CLP]

Hazard pictograms (CLP) :



GHS05

Signal word (CLP) :

Danger

Contains :

Siloxanes and Silicones, 3-[(2-aminoethyl)amino]propyl Me, di-Me; 3-C12-14-(even numbered)-alkylamido-N,N-dimethylpropan-1-amino oxide; AMINES,C12-14(EVEN NUMBERED) ALKYLDIMETHYLAMINE,-N- OXIDES; COCAMIDOPROPYL BETAINE

Hazard statements (CLP) :

H318 - Causes serious eye damage.

Precautionary statements (CLP) :

P101 - If medical advice is needed, have product container or label at hand.

P102 - Keep out of reach of children.

P305+P351+P338+P310 - IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER, a doctor.

P501 - Dispose of contents and container to a hazardous or special waste collection point.

EUH-statements :

EUH208 - Contains Methylisothiazolinone(2682-20-4). May produce an allergic reaction.

Extra phrases :

Do not ingest.

Child-resistant fastening :

Not applicable

Tactile warning :

Not applicable

2.3. Other hazards

Contains no PBT/vPvB substances $\geq 0.1\%$ assessed in accordance with REACH Annex XIII

The mixture does not contain substance(s) included in the list established in accordance with Article 59(1) of REACH for having endocrine disrupting properties, or is not identified as having endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at a concentration equal to or greater than 0,1 %

SECTION 3: Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
Cocamidopropyl betaine	CAS-No.: 61789-40-0 EC-No.: 263-058-8 EC Index-No.: 01-2119513359-38	1 – 5	Eye Dam. 1, H318 Aquatic Chronic 3, H412
Siloxanes and Silicones, 3-[(2-aminoethyl)amino]propyl Me, di-Me	CAS-No.: 71750-79-3 EC-No.: 615-336-9	1 – 2,5	Skin Irrit. 2, H315 Eye Dam. 1, H318
AMINES,C12-14(EVEN NUMBERED) ALKYLDIMETHYLAMINE,-N- OXIDES	CAS-No.: 308062-28-4 EC-No.: 931-292-6 REACH-no: 01-2119490061-47	1 – 2,5	Acute Tox. 4 (Oral), H302 (ATE=3545,54 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
3-C12-14-(even numbered)-alkylamido-N,N-dimethylpropan-1-amino oxide	CAS-No.: 866889-72-7 EC-No.: 931-324-9	0,1 – 2,5	Acute Tox. 4 (Oral), H302 (ATE=500 mg/kg bodyweight) Skin Irrit. 2, H315 Eye Dam. 1, H318

RX Cerami-X. Wash & Wax 1L

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Name	Product identifier	%	Classification according to Regulation (EC) No. 1272/2008 [CLP]
acetic acid ... % substance with a Community workplace exposure limit	CAS-No.: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002-00-6 REACH-no.: 01-2119475328-30	0,1 – 1	Flam. Liq. 3, H226 Skin Corr. 1A, H314
2-methylisothiazol-3(2H)-one	CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-009 REACH-no.: 01-2120764690-50	< 0,1	Acute Tox. 3 (Oral), H301 (ATE=100 mg/kg bodyweight) Acute Tox. 3 (Dermal), H311 (ATE=300 mg/kg bodyweight) Acute Tox. 2 (Inhalation), H330 Skin Corr. 1B, H314 Eye Dam. 1, H318 Skin Sens. 1A, H317 Aquatic Acute 1, H400 (M=10) Aquatic Chronic 1, H410

Specific concentration limits:

Name	Product identifier	Specific concentration limits (%)
acetic acid ... %	CAS-No.: 64-19-7 EC-No.: 200-580-7 EC Index-No.: 607-002-00-6 REACH-no.: 01-2119475328-30	(10 ≤ C < 25) Eye Irrit. 2, H319 (10 ≤ C < 25) Skin Irrit. 2, H315 (25 ≤ C < 90) Skin Corr. 1B, H314 (90 ≤ C ≤ 100) Skin Corr. 1A, H314
2-methylisothiazol-3(2H)-one	CAS-No.: 2682-20-4 EC-No.: 220-239-6 EC Index-No.: 613-326-009 REACH-no.: 01-2120764690-50	(0,00015 ≤ C < 0,0015) EUH208 (0,0015 ≤ C < 100) Skin Sens. 1A, H317

Full text of H- and EUH-statements: see section 16

SECTION 4: First aid measures

4.1. Description of first aid measures

First-aid measures general	: Never give anything by mouth to an unconscious person. If you feel unwell, seek medical advice (show the label where possible).
First-aid measures after inhalation	: Allow affected person to breathe fresh air. Allow the victim to rest.
First-aid measures after skin contact	: Remove affected clothing and wash all exposed skin area with mild soap and water, followed by warm water rinse.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.
First-aid measures after ingestion	: Rinse mouth. Do NOT induce vomiting. Obtain emergency medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms/effects after eye contact	: Causes serious eye damage.
------------------------------------	------------------------------

4.3. Indication of any immediate medical attention and special treatment needed

No additional information available

RX Cerami-X. Wash & Wax 1L

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.
Unsuitable extinguishing media : Do not use a heavy water stream.

5.2. Special hazards arising from the substance or mixture

No additional information available

5.3. Advice for firefighters

Firefighting instructions : Use water spray or fog for cooling exposed containers. Exercise caution when fighting any chemical fire. Prevent fire fighting water from entering the environment.
Protection during firefighting : Do not enter fire area without proper protective equipment, including respiratory protection.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

6.1.1. For non-emergency personnel

Emergency procedures : Evacuate unnecessary personnel.

6.1.2. For emergency responders

Protective equipment : Equip cleanup crew with proper protection.
Emergency procedures : Ventilate area.

6.2. Environmental precautions

Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.3. Methods and material for containment and cleaning up

Methods for cleaning up : Soak up spills with inert solids, such as clay or diatomaceous earth as soon as possible. Collect spillage. Store away from other materials.

6.4. Reference to other sections

See Section 8. Exposure controls and personal protection.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling : Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Provide good ventilation in process area to prevent formation of vapour.
Hygiene measures : Wash hands, forearms and face thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Keep only in the original container in a cool, well ventilated place away from : Keep container closed when not in use.
Incompatible products : Strong bases. Strong acids.
Incompatible materials : Sources of ignition. Direct sunlight.

7.3. Specific end use(s)

No additional information available

RX Cerami-X. Wash & Wax 1L

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

8.1.1 National occupational exposure and biological limit values

acetic acid ... % (64-19-7)	
EU - Indicative Occupational Exposure Limit (IOEL)	
IOEL TWA	25 mg/m ³
IOEL TWA [ppm]	10 ppm
IOEL STEL	50 mg/m ³
IOEL STEL [ppm]	20 ppm

8.1.2. Recommended monitoring procedures

No additional information available

8.1.3. Air contaminants formed

No additional information available

8.1.4. DNEL and PNEC

No additional information available

8.1.5. Control banding

No additional information available

8.2. Exposure controls

8.2.1. Appropriate engineering controls

Appropriate engineering controls:

Ensure good ventilation of the work station.

8.2.2. Personal protection equipment

Personal protective equipment:

Safety glasses. Avoid all unnecessary exposure.

Personal protective equipment symbol(s):



8.2.2.1. Eye and face protection

Eye protection:

If there is a risk of splashing, wear safety glasses with side shields or for use with chemicals. The eye protection equipment should conform to EN 166. Chemical goggles or safety glasses

8.2.2.2. Skin protection

Hand protection:

Wear suitable gloves: Neoprene, nitrile rubber, butyl rubber.

Make sure that the breakthrough time of the glove material is not exceeded. Consult glove supplier for information on breakthrough time for gloves. Gloves must comply with EN 374. Breakthrough time : 480 min. Layer thickness : 0.5 mm. Wear protective gloves.

8.2.2.3. Respiratory protection

Respiratory protection:

No specific measures are necessary. Wear appropriate mask

8.2.2.4. Thermal hazards

No additional information available

RX Cerami-X. Wash & Wax 1L

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

8.2.3. Environmental exposure controls

Environmental exposure controls:

Avoid release to the environment.

Other information:

The information provided on personal protective equipment is offered only as a guide. The risks must be assessed before using this product in order to determine the most appropriate protective equipment for work conditions. Personal protective equipment must comply with the applicable EN standard. Do not eat, drink or smoke during use.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Colour	: Blue.
Appearance	: Sirupy liquid.
Odour	: Fresh.
Odour threshold	: Not available
Melting point	: Not available
Freezing point	: Not available
Boiling point	: Not available
Flammability	: Non flammable.
Lower explosion limit	: Not available
Upper explosion limit	: Not available
Flash point	: Not flammable
Auto-ignition temperature	: Not available
Decomposition temperature	: Not available
pH	: 6
Viscosity, kinematic	: Not available
Solubility	: Miscible with water.
Partition coefficient n-octanol/water (Log Kow)	: Not available
Vapour pressure	: Not available
Vapour pressure at 50°C	: Not available
Density	: Not available
Relative density	: Not available
Relative vapour density at 20°C	: Not available
Particle characteristics	: Not applicable

9.2. Other information

9.2.1. Information with regard to physical hazard classes

No additional information available

9.2.2. Other safety characteristics

No additional information available

SECTION 10: Stability and reactivity

10.1. Reactivity

No additional information available

10.2. Chemical stability

Not established.

10.3. Possibility of hazardous reactions

Not established.

10.4. Conditions to avoid

Direct sunlight. Extremely high or low temperatures.

RX Cerami-X. Wash & Wax 1L

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

10.5. Incompatible materials

Strong acids. Strong bases.

10.6. Hazardous decomposition products

fume. Carbon monoxide. Carbon dioxide.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

2-methylisothiazol-3(2H)-one (2682-20-4)

LD50 oral rat	1000 – 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg

acetic acid ... % (64-19-7)

LD50 oral rat	3310 mg/kg
LD50 dermal rabbit	1130 mg/kg
LC50 Inhalation - Rat	5620 mg/l 4h

Siloxanes and Silicones, 3-[(2-aminoethyl)amino]propyl Me, di-Me (71750-79-3)

LD50 oral rat	> 5000 mg/kg
---------------	--------------

3-C12-14-(even numbered)-alkylamido-N,N-dimethylpropan-1-amino oxide (866889-72-7)

LD50 oral rat	> 300 – < 2000 mg/kg
LD50 dermal rat	> 2000 mg/kg

AMINES,C12-14(EVEN NUMBERED) ALKYL DIMETHYLAMINE,-N- OXIDES (308062-28-4)

LD50 oral rat	1064 mg/kg
LD50 dermal rat	> 2000 mg/kg

Cocamidopropyl betaine (61789-40-0)

LD50 oral rat	> 2000 mg/kg
LD50 dermal rabbit	> 2000 mg/kg

Skin corrosion/irritation : Not classified
pH: 6

Additional information : Based on available data, the classification criteria are not met

2-methylisothiazol-3(2H)-one (2682-20-4)

pH	4,5 (≥ 5,5)
----	-------------

Serious eye damage/irritation : Causes serious eye damage.
pH: 6

2-methylisothiazol-3(2H)-one (2682-20-4)

pH	4,5 (≥ 5,5)
----	-------------

Respiratory or skin sensitisation : Not classified

Additional information : Based on available data, the classification criteria are not met

Germ cell mutagenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

Carcinogenicity : Not classified

Additional information : Based on available data, the classification criteria are not met

RX Cerami-X. Wash & Wax 1L

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Reproductive toxicity : Not classified
Additional information : Based on available data, the classification criteria are not met

Cocamidopropyl betaine (61789-40-0)

NOAEL (animal/male, F0/P)	1000 mg/kg
STOT-single exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
STOT-repeated exposure	: Not classified
Additional information	: Based on available data, the classification criteria are not met
Aspiration hazard	: Not classified
Additional information	: Based on available data, the classification criteria are not met

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

No additional information available

11.2.2. Other information

Potential adverse human health effects and symptoms : Based on available data, the classification criteria are not met

SECTION 12: Ecological information

12.1. Toxicity

Hazardous to the aquatic environment, short-term (acute) : Not classified

Hazardous to the aquatic environment, long-term (chronic) : Not classified

2-methylisothiazol-3(2H)-one (2682-20-4)

LC50 - Fish [1]	60 mg/l 96h (Oncorhynchus mykiss)
EC50 - Crustacea [1]	16,8 mg/l 48h (Daphnia magna)
ErC50 algae	1,57 mg/l 96h (Pseudokirchneriella subcapitata)

acetic acid ... % (64-19-7)

LC50 - Fish [1]	> 300,82 mg/l 96h (Oncorhynchus mykiss)
EC50 - Crustacea [1]	> 300,82 mg/l 48h (Daphnia magna)
ErC50 algae	> 300,82 mg/l 72h (Skeletonema costatum)

12.2. Persistence and degradability

RX Cerami-X. Wash & Wax 1L

Persistence and degradability	Not established.
-------------------------------	------------------

12.3. Bioaccumulative potential

RX Cerami-X. Wash & Wax 1L

Bioaccumulative potential	Not established.
---------------------------	------------------

12.4. Mobility in soil

No additional information available

12.5. Results of PBT and vPvB assessment

No additional information available

RX Cerami-X. Wash & Wax 1L

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

12.6. Endocrine disrupting properties

No additional information available

12.7. Other adverse effects

Additional information : Avoid release to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Product/Packaging disposal recommendations : Dispose in a safe manner in accordance with local/national regulations.
Ecology - waste materials : Avoid release to the environment.

SECTION 14: Transport information

In accordance with ADR / IMDG / IATA / ADN / RID / /

ADR	IMDG	IATA	ADN	RID
14.1. UN number or ID number				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.2. UN proper shipping name				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.3. Transport hazard class(es)				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.4. Packing group				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
14.5. Environmental hazards				
Not applicable	Not applicable	Not applicable	Not applicable	Not applicable
No supplementary information available				

14.6. Special precautions for user

Overland transport

Not applicable

Transport by sea

Not applicable

Air transport

Not applicable

Inland waterway transport

Not applicable

Rail transport

Not applicable

14.7. Maritime transport in bulk according to IMO instruments

Not applicable

RX Cerami-X. Wash & Wax 1L

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

15.1.1. EU-Regulations

REACH Annex XVII (Restriction List)

Contains no substance(s) listed on REACH Annex XVII (Restriction Conditions)

REACH Annex XIV (Authorisation List)

Contains no substance(s) listed on REACH Annex XIV (Authorisation List)

REACH Candidate List (SVHC)

Contains no substance(s) listed on the REACH Candidate List

PIC Regulation (Prior Informed Consent)

Contains no substance(s) listed on the PIC list (Regulation EU 649/2012 concerning the export and import of hazardous chemicals)

POP Regulation (Persistent Organic Pollutants)

Contains no substance(s) listed on the POP list (Regulation EU 2019/1021 on persistent organic pollutants)

Ozone Regulation (1005/2009)

Contains no substance(s) listed on the Ozone Depletion list (Regulation EU 1005/2009 on substances that deplete the ozone layer)

Detergent Regulation (648/2004)

Labelling of contents	
Component	%
non-ionic surfactants, amphoteric surfactants	<5%
METHYLCHLOROISOTHIAZOLINONE	
METHYLISOTHIAZOLINONE	
BENZISOTHIAZOLINONE	
perfumes	

Explosives Precursors Regulation (2019/1148)

Contains no substance(s) listed on the Explosives Precursors list (Regulation EU 2019/1148 on the marketing and use of explosives precursors)

Drug Precursors Regulation (273/2004)

Contains no substance(s) listed on the Drug Precursors list (Regulation EC 273/2004 on the manufacture and the placing on market of certain substances used in the illicit manufacture of narcotic drugs and psychotropic substances)

15.1.2. National regulations

No additional information available

15.2. Chemical safety assessment

No chemical safety assessment has been carried out

SECTION 16: Other information

Data sources	: REGULATION (EC) No 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL of 16 December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No 1907/2006.
Other information	: None.

Full text of H- and EUH-statements:

Acute Tox. 2 (Inhalation)	Acute toxicity (inhal.), Category 2
Acute Tox. 3 (Dermal)	Acute toxicity (dermal), Category 3

RX Cerami-X. Wash & Wax 1L

Safety Data Sheet

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878

Full text of H- and EUH-statements:	
Acute Tox. 3 (Oral)	Acute toxicity (oral), Category 3
Acute Tox. 4 (Oral)	Acute toxicity (oral), Category 4
Aquatic Acute 1	Hazardous to the aquatic environment – Acute Hazard, Category 1
Aquatic Chronic 1	Hazardous to the aquatic environment – Chronic Hazard, Category 1
Aquatic Chronic 2	Hazardous to the aquatic environment – Chronic Hazard, Category 2
Aquatic Chronic 3	Hazardous to the aquatic environment – Chronic Hazard, Category 3
EUH208	Contains Methylisothiazolinone(2682-20-4). May produce an allergic reaction.
Eye Dam. 1	Serious eye damage/eye irritation, Category 1
Eye Irrit. 2	Serious eye damage/eye irritation, Category 2
Flam. Liq. 3	Flammable liquids, Category 3
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H330	Fatal if inhaled.
H400	Very toxic to aquatic life.
H410	Very toxic to aquatic life with long lasting effects.
H411	Toxic to aquatic life with long lasting effects.
H412	Harmful to aquatic life with long lasting effects.
Skin Corr. 1A	Skin corrosion/irritation, Category 1, Sub-Category 1A
Skin Corr. 1B	Skin corrosion/irritation, Category 1, Sub-Category 1B
Skin Irrit. 2	Skin corrosion/irritation, Category 2
Skin Sens. 1A	Skin sensitisation, category 1A

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:		
Eye Dam. 1	H318	Calculation method

Safety Data Sheet (SDS), EU

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.